





Smart office assistant

Harnessing the power of the Cloud, these smart all in one printers automate everyday document processes, leaving you free to focus on core business activities.

Intelligent workflow tools

- Intuitive user interface
- Ricoh Smart apps
- Cloud-share services
- Smartphone connection

Ricoh's super-sized 10.1 inch Smart Operation Panel is host to a suite of intelligent workflow tools. Pre-installed Smart apps, such as ID Card Copy, automate time-consuming processes. More applications can be installed on demand. It is easy to print from and scan to smartphones and tablets, and critical documents can be scanned in colour directly to DropBox[™] or Sharepoint[™].

Simply more productive

- 35 & 43 ppm print speeds
- 52 256 gsm support
- Large paper capacity
- Offline stapler option

To save time, double sided originals are scanned in a single pass. The first immaculate 1200 dpi print is ready in under 6 seconds. Multipage documents are produced at speeds of 35 or 43 pages per minute and can be quickly collated using the offline stapler option. The optional high capacity paper trays further enhance productivity. It is easy to print onto envelopes and labels. And, with the printer switching from one tray to another, you need never run out of paper. Despite their advanced functionality, Ricoh's new all in one printers are surprisingly easy to setup and support. With their compact design and quiet operation, they are a perfect fit for every office. Ricoh's installation wizard simplifies setup. To safeguard information, they support tap and go authentication and confidential documents can be securely locked, pending release. Clever energy saving features reduce power consumption and contribute to a low total cost of ownership.

A friendly and affordable solution

- Space saving design
- Secure authentication
- Confidential printing
- Low noise levels



RICOH IM 350/IM 350F/IM 430F

MAIN SPECIFICATIONS

GENERAL	IM 350	IM 350F	IM 430F
Varm-up time		22 seconds	
•	5.4 seconds	5.4 seconds	4.5 seconds
irst output speed: B/W continuous output speed		35 ppm	4.5 seconds 43 ppm
lemory: standard	35 ppm	2 GB	45 ppm
		2 GB	
emory: maximum			
DD: standard		320 GB	
DD: maximum		320 GB	
PDF capacity		50 sheets	
/eight		30.5 kg	
mensions: W x D x H		476 x 442 x 510 mm	
ower source		220 - 240 V, 50/60 Hz	
OPIER			
ultiple copying		Up to 999 copies	
opy resolution: maximum		600x600 dpi	
bom		From 25% to 400% in 1% steps	
RINTER			
PU		Intel Atom Processor Bay Trail 1.46GHz	
inter language: standard		PCL6, PostScript 3 (emulation), PDF direct (emulation)
inter language: option	Genuine A	dobe® PostScript®3™, IPDS, PDF Direct fr	
int resolution: maximum		1,200 x 1,200 dpi	
etwork interface: standard	Ethernet	t 10 base-T/100 base-TX/1000 base-T, USE	Host 2.0
etwork interface: option	Bi-directional IEEE 1284	I/ECP, Wireless LAN (IEEE 802.11a/b/g/n),	Additional NIC (2nd port)
obile printing capability	Apple AirPrint™, M	lopria, Google Cloud Print, NFC, Ricoh Sma	rt Device Connector
etwork protocol		TCP/IP (IP v4, IP v6)	
/indows® environments	Windows® 7 Windows® 8.1 Windows	® 10, Windows® Server 2008, Windows® S	Server 2008R2 Windows® Server 2012
		dows® Server 2012R2, Windows® Server 2	
ac OS environments		Macintosh OS X v10.10 or later	
NIX environments	UNIX SUN® SOlaris, Hi	P-UX, SCO OpenServer, RedHat® Linux, IE	SING AIA, CIUX XEIIApp
AP® environments		SAP® R/3®, SAP® S/4®	
ther supported environments		NDPS Gateway AS/400® using OS/400 Host Print Transforr IBM iSeries	n
CANNER		43.4 ipm (simplex)/80 ipm (duplex)	
esolution: maximum		600 dpi	
ile formats	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TI Multi page PDF, Multi page High compression PDF, Multi page PDF/A		
can modes		E-mail, Folder, USB, SD Card	
AX (IM 350F, IM 430F)			
		PSTN, PBX	
ircuit	-	2 seconds	2 seconds
		33.6 Kbps	33.6 Kbps
ansmission speed	-		
ansmission speed odem speed: maximum	-	MH, MR, MMR, JBIG	
ansmission speed odem speed: maximum ompression method	-	MH, MR, MMR, JBIG 28 spm	28 spm
ansmission speed odem speed: maximum ompression method canning speed	-		28 spm 4 MB, (320 pages)
ansmission speed odem speed: maximum ompression method anning speed emory: standard	-	28 spm	•
ansmission speed odem speed: maximum ompression method anning speed emory: standard emory: maximum	-	28 spm 4 MB, (320 pages)	4 MB, (320 pages)
rcuit ansmission speed odem speed: maximum ompression method canning speed emory: standard emory: maximum APER HANDLING ecommended paper size	- - - - - - - - - -	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6	4 MB, (320 pages) 4 MB, (320 pages)
ansmission speed odem speed: maximum impression method anning speed emory: standard emory: maximum APER HANDLING ecommended paper size	- - - - Byp	28 spm 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 pass tray:A4, A5, A6, B5, B6, Custom Size p	4 MB, (320 pages) 4 MB, (320 pages)
ansmission speed odem speed: maximum impression method anning speed emory: standard emory: maximum APER HANDLING ecommended paper size sper input: standard	- - - - Byp	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 5 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 pass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets	4 MB, (320 pages) 4 MB, (320 pages)
ansmission speed odem speed: maximum impression method anning speed emory: standard emory: maximum APER HANDLING ecommended paper size sper input: standard iper input: maximum	- - - - Byp	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 5 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 bass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets	4 MB, (320 pages) 4 MB, (320 pages)
Ansmission speed adem speed: maximum impression method anning speed emory: standard emory: maximum APER HANDLING commended paper size per input: standard per input: maximum per output: standard		28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 pass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets 250 sheets	4 MB, (320 pages) 4 MB, (320 pages) aper
Ansmission speed odem speed: maximum pmpression method anning speed emory: standard emory: maximum APER HANDLING ecommended paper size aper input: standard aper input: standard aper output: standard aper weight	Trays: (52 - 2	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 5 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 bass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets	4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m²)
ansmission speed odem speed: maximum ompression method anning speed emory: standard emory: maximum APER HANDLING ecommended paper size aper input: standard aper input: maximum aper output: standard aper weight aper types	Trays: (52 - 2	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 pass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets 250 sheets 250 sheets 220 g/m²), Bypass: (52 - 256 g/m²), Duplex: (4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m²)
ansmission speed odem speed: maximum ompression method earning speed emory: standard emory: maximum APER HANDLING ecommended paper size aper input: standard aper input: standard aper output: standard aper veight aper types COLOGY	Trays: (52 - 2 Plain paper, Recycle paper, Specia	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 pass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets 250 sheets 220 g/m²), Bypass: (52 - 256 g/m²), Duplex: (I paper, Color paper, Letterhead, Preprinted	4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m²) paper, Envelope, Label paper, OHP
ansmission speed odem speed: maximum ompression method anning speed emory: standard emory: maximum APER HANDLING ecommended paper size aper input: standard aper output: standard aper output: standard aper veight aper types COLOGY ower consumption: max.	Trays: (52 - 2 Plain paper, Recycle paper, Specia Less than 1,280 W	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Continuation of the standard stand	4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m ²) paper, Envelope, Label paper, OHP Less than 1,290 W
ansmission speed odem speed: maximum pmpression method amony: standard emory: maximum APER HANDLING ecommended paper size aper input: standard aper input: maximum aper output: standard aper weight aper weight aper types COLOGY wer consumption: max. wer consumption: operation	Trays: (52 - 2 Plain paper, Recycle paper, Specia	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 vass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 250 sheets 250 sheets 250 sheets 250 sheets 250 g/m²), Bypass: (52 - 256 g/m²), Duplex: (I paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W	4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m²) paper, Envelope, Label paper, OHP
ansmission speed odem speed: maximum pmpression method among speed emory: standard emory: maximum APER HANDLING ecommended paper size aper input: standard aper input: standard aper output: standard aper weight aper weight aper types COLOGY wer consumption: max. wer consumption: ready	Trays: (52 - 2 Plain paper, Recycle paper, Specia Less than 1,280 W	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Doass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets 250 sheets 220 g/m²), Bypass: (52 - 256 g/m²), Duplex: (I paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W 91.5 W	4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m ²) paper, Envelope, Label paper, OHP Less than 1,290 W
Ansmission speed odem speed: maximum impression method anning speed emory: standard emory: maximum APER HANDLING ecommended paper size apper input: standard uper input: standard uper output: standard uper weight uper veight uper types COLOGY wer consumption: max. wer consumption: ready wer consumption: ready wer consumption: sleep	Trays: (52 - 2 Plain paper, Recycle paper, Specia Less than 1,280 W 562 W	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Doass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets 250 sheets 220 g/m²), Bypass: (52 - 256 g/m²), Duplex: (1 paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W 91.5 W 0.79 W	4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m ²) paper, Envelope, Label paper, OHP Less than 1,290 W 625 W
ansmission speed odem speed: maximum pompression method canning speed emory: standard emory: maximum APER HANDLING	Trays: (52 - 2 Plain paper, Recycle paper, Specia Less than 1,280 W	28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Doass tray:A4, A5, A6, B5, B6, Custom Size p 500 sheets 2,100 sheets 250 sheets 220 g/m²), Bypass: (52 - 256 g/m²), Duplex: (I paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W 91.5 W	4 MB, (320 pages) 4 MB, (320 pages) aper 52 - 162 g/m ²) paper, Envelope, Label paper, OHP Less than 1,290 W

3x 250-sheet paper tray 3x 500-sheet paper tray

RICOH IM 350/IM 350F/IM 430F

MAIN SPECIFICATIONS

OTHER OPTIONS	IM 350	IM 350F	IM 430F		
Server, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, Page keeper, Key counter bracket, Extended USB board, Paperlock CONSUMABLES					
Starter toner Drum	14,000 prints	14,000 prints 70,000 sheets	17,400 prints		
Toner (black) Consumable yield measuring method ISO/IEC 19798	14,000 prints	14,000 prints	17,400 prints		



Adobe: PDF

Adobe" PostScript" 3"

🚯 Bluetooth





All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.