

Aficio™

SG 2100N/SG 3110DN/  
SG 3110DNw

GELJET™ Printer

☐ Copier ☒ Printer ☐ Facsimile ☐ Scanner



Aficio™  
SG 2100N

29 Colour  
B/W  
ppm

Aficio™  
SG 3110DN

29 Colour  
B/W  
ppm

Aficio™  
SG 3110DNw

29 Colour  
B/W  
ppm



## **GELJET™ : Affordable colour for every need**

Want to give your customers and employees affordable, high quality colour documents on demand? You can with the Aficio SG 2100N/SG 3110DN/SG 3110DNw. These innovative GELJET™ printers have a small footprint, full front access and easy connectivity including WiFi (SG 3110DNw). They feature Ricoh's fast-drying Liquid Gel™ technology to simplify colour printing in shops, businesses and home offices everywhere.



### **The GELJET™ advantage**

GELJET™ printers use fast-drying viscous, pigment-based Liquid Gel™ that does not permeate paper and dries fast. It delivers high quality colour at low cost on plain paper. And, because Liquid Gel™ dries instantly, it also enables high speed duplex printing.



### **Unique ECONomy Color**

In ECONomy Color mode, GELJETS™ can distinguish between text and images – text is printed solid black, while image thickness is reduced by half. So you get quality colour documents at virtually the cost of black & white.



### **User-friendly design**

With the control panel and operations accessible from the front, these versatile printers fit virtually anywhere. There is also easy USB and network connectivity, plus WiFi with the SG 3110DNw, and simple envelope setup straight from the printer driver window.






### Improved productivity

Get your first colour print in 6.5 seconds. Enjoy fast output at up to 29 ppm and uninterrupted print runs using high capacity paper tray options. Easily print banners, envelopes and custom papers thanks to the Multi Bypass Tray option.

### Avoid outsourcing

GELJETS™ can handle a wide range of paper sizes and weights. You can even print double-sided with the SG 3110DN and SG 3110DNw's paper-saving duplex units. This gives you the flexibility to create a variety of professional-looking colour documents in-house.



### Reliable, secure and compliant

GELJETS™ have a simple architecture with a minimal number of highly durable parts. This ensures maximum reliability and long life. They also comply with the latest Energy Star and Blue Angel (BAM) international standards for energy efficiency and environmental friendliness.

### Green cost-efficiency

With a partially recyclable plant-based plastic chassis, toxic free materials\* and energy-saving features, GELJETS™ reflect Ricoh's environmental commitment. GELJETS™ consume 90% less power than a colour laser printer, which not only reduces CO<sub>2</sub> emissions - it also lowers your TCO.



# SG 2110N/SG 3110DN/SG 3110DNw

Aficio®

## MAIN SPECIFICATIONS

### GENERAL

Warm-up time:	35 seconds
First output speed:	Full colour: 6.5 seconds B/W: 5.5 seconds
Continuous output speed:	Full colour: 29 pages per minute B/W: 29 pages per minute
ISO speed:	Full colour: 12 prints per minute B/W: 12 prints per minute
Memory:	32/128/128 MB
Dimensions (W x D x H):	399 x 360/436.5/436.5 x 212.5 mm
Weight:	9.5/10.5/10.5 kg
Power source:	220 - 240 V, 50/60 Hz
Duty cycle:	10,000 pages per month

### PRINTER

Printer language:	Standard: PCL5c PCL6 RPCS
Print resolution:	Maximum: 3,600 x 1,200 dpi
Interface:	Standard: USB 2.0 Ethernet 10 base-T/100 base-TX
Network protocol:	TCP/IP
Windows® environments:	Windows® XP Windows® Vista Windows® 7 Windows® Server 2003 Windows® Server 2008
Mac OS environments:	Macintosh OS X v10.5 or later

### PAPER HANDLING

Recommended paper size:	A4, A5, A6, B5, B6
Paper input capacity:	Standard: 250 sheets Maximum: 250/850/850 sheets
Paper output capacity:	Standard: 100 sheets
Paper weight:	Standard paper trays: 60 - 163 g/m² Optional paper trays: 60 - 105 g/m² Bypass tray: 60 - 256 g/m²

### ECOLOGY

Power consumption:	Operating power: 22.8/25.6/26.8 W Energy Saver timer: 1.06/0.71/2.66 W
--------------------	---

### SOFTWARE

Optional:	SmartDeviceMonitor® for Admin/Client, DeskTopBinder™ Lite, Remote Communication Gate S Pro
-----------	--

### OPTIONS

2 x 250-sheet paper tray, Multi-bypass tray

### CONSUMABLES

Cartridge capacity:	Black: 2,500 prints Cyan: 2,200 prints Magenta: 2,200 prints Yellow: 2,200 prints
---------------------	--

Print speed may vary depending on the type of output.  
Continuous output speed is based on RPCS driver (high speed mode). ISO speed is based on RPCS driver (reference data).

Wireless LAN (IEEE 802.11 b/g/n) is available for SG 3110DNw.

Low yield print cartridges are also available (600 sheets).

For availability of models, options and software, please consult your local Ricoh supplier.



**RICOH**  
imagine. change.

ISO9001 certified, ISO14001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2012 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

[www.ricoh-europe.com](http://www.ricoh-europe.com)